



Magnesium contributes to the maintenance of normal bones and normal muscle function.

DESCRIPTION

What is Agiflex used for?

For the maintenance of cartilage.

Helps lubricate joints and keeps joints flexible.

When is it indicated to take Agiflex?

In the cases of:

- Pain.
- Joint stiffness.
- Cartilage wear.
- Limitation of movement.
- Deformations.
- Crackling.

Ingredients

Maltodextrin, Peptiplus XP collagen, magnesium citrate, Chondractiv™ (containing 55% Type II Collagen, 12% Chondroitin Sulfate and 2% Hyaluronic Acid), orange flavour, L-ascorbic acid, acidity regulator: citric acid, sodium hyaluronate, chondroitin sulphate*, sweetener: sucralose, calcium D-pantothenate, pyridoxine hydrochloride, riboflavin, thiamine hydrochloride. *Fish product.

Composition

Per 1 scoop (10 g): Chondractiv™ 250 mg, Collagen 3000 mg, Hyaluronic Acid 25 mg, Chondroitin Sulfate 50 mg, Vitamin B1 1.1 mg (100% VRN*), Vitamin B2 1.4 mg (100% VRN*), Vitamin B6 1.4 mg (100% VRN*), Pantothenic Acid 6 mg (100% VRN *), Vitamin C 80 mg (100% NRV*), Magnesium 56.25 mg (15% NRV*). *Nutrient Reference Value.





Instructions for use

1 scoop (10 g) per day, dissolved in half a glass of water, tea or fruit juice.

Contraindications

Not recommended during pregnancy and breastfeeding.

Use should be avoided in asthmatics.

Chondroitin should also be avoided in patients who have had or are experiencing a recurrence of prostate cancer.

Drug Interactions and Others

Minimal side effects have been reported for collagen, mainly some gastrointestinal discomfort, such as a feeling of fullness and unpleasant taste, and headache. Chondroitin sulfate is safe for most people. In some cases it may cause gastric pain and nausea. Other side effects have been reported such as diarrhea, constipation, swollen eyelids, swollen legs, hair loss, and irregular heartbeat. Caution should be taken when combining chondroitin with warfarin (anticoagulant), because it increases the risk of bleeding.

