

# **Essential Oils Respira 60 Pearls**

EAN: 8436612680132 FABRICANTE: EQUISALUD



Essential oils Respire in pearls helps improve breathing. It is a food supplement made with essential oils with antiseptic, expectorant, anti-inflammatory and antioxidant properties.

#### **DESCRIPTION**

The combination of essential oils that are part of this formulation not only helps to improve symptoms, but also collaborates in their prevention by maintaining a healthy respiratory environment and strengthening the immune system.

What is the method of use and recommended amount of Essentials Oil Respir?


Take one to three pearls a day, preferably with meals. Do not take more than three pearls a day.

## What are the benefits and properties of Essential oils Respir?

- It collaborates by providing antiseptic, expectorant, anti-inflammatory and antioxidant properties.
- Support in various facets of respiratory health.
- Helps maintain a healthy respiratory environment and strengthen the immune system.

### What is the composition of Essentials Oil Respir?

- Sunflower oil (Helianthus annuus L.), 477 mg.
- Oregano essential oil (Origanun vulgare L., flowering top, QT: carvacrol), 3 mg.
- Pine essential oil (Pinus sylvestris L., leaf, QT: alpha-pinene, beta-pinene), 3 mg.
- Rosemary essential oil (Rosmarinus officinalis L., leaf, QT: camphor), 3 mg.
- Cedar essential oil (Cedrus atlantica (Endl.) Manetti ex Carrière, wood, QT: beta-himachalene), 3
   mg.
- Hyssop essential oil (Hyssopus officinalis L., flowering top, QT: 1,8-cineole), 3 mg.
- Myrrh essential oil (Commiphora myrrha (Nees) Engl., gomorresin, QT: furanoeudesmadiene). 3 mg.
- Eucalyptus essential oil (Eucalyptus globulus Labill., leaf, QT: 1,8-cineole), 3 mg.
- Extract rich in tocopherols (antioxidant), 2 mg.
- Wrapper: Gelatin and humectant (glycerin).





# **Essential Oils Respira 60 Pearls**

EAN: 8436612680132 FABRICANTE: EQUISALUD



### **Does Essentials Oil Respir have contraindications?**

Not recommended during pregnancy or breastfeeding, in children under 12 years of age, in case of gallstones, gastritis or gastroesophageal disorders.

Consult a specialist in case of severe kidney failure, antiepileptic treatment or history of seizures. Do not use for a long time (no more than 2 weeks).